



भारतीय मानक ब्यूरो  
BUREAU OF INDIAN STANDARDS

Address : 'Pushpak' 3rd Floor,  
Nurmohamed Shaikh Marg,  
Khanpur  
Ahmedabad 380001

Phones : 079-25601348, 1349,1607

Fax : 079-25601440

E-mail : abo@bis.org.in

Web : http://www.bis.org.in

Ahmedabad Branch Office

ATTACHMENT TO LICENCE NO. CM/L- 7491686

<u>CML NO</u>	<u>NAME OF THE LICENSEE WITH ADDRESS</u>	<u>PRODUCT</u>	<u>IS NO</u>
7491686	INDUSTRIAL COMMERCIAL CORPORATION PLOT NO-1311, GIDC ESTATE, NEW SAFARI CHOKDI, VILLAGE AND TALUKA HALOL, HALOL 389350 Gujarat	Controlled percolating hose for fire fighting	IS 8423 : 1994

**REFERENCE ONLY**

ENDORSEMENT NO. 14 Dated 21 April 2016.

Renewed for a further period of one year from Sixteenth April Two Thousand and Sixteen to Fifteenth April Two Thousand and Seventeen.

Other terms and conditions of Licence remain the same.

*S L Palkar*  
(DR. S L PALKAR)  
SCIENTIST F & HEAD

डॉ. श्रीकान्त एल. पालकर  
Dr. SHRIKANT L. PALKAR  
वैज्ञानिक-एफ एवं प्रमुख  
Scientist F & Head  
भारतीय मानक ब्यूरो  
Bureau of Indian Standards  
अहमदाबाद - 380 001  
AHMEDABAD-380 001